

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	maussner-gerd.in. or (gerd near2 maussner)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:38
L2	2	neber-gerd.in. or (gerd near2 neber) not l1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:39
L3	122	(ott-michael.in. or (michael near2 ott)) not (l1 or l2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:39
L4	32	ott-michael.in. not (l1 or l2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:50
L5	1	("6173491").PN.	US-PGPUB; USPAT	OR	OFF	2006/02/02 10:52
L6	2	WO-9721516-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:55
L7	1	EP-676259-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:57
L8	384	228/256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 11:28
L9	1025	228/212-213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 11:29
L10	1016	l9 not l8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 11:30
L11	250	l10 and 228/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 11:37
L12	778	l10 and 228/212.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 11:38

L13	368	228/245.ccls. not (l8 or l11)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 11:46
L15	652	228/119.ccls. not (l8 or l11 or l13)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 13:31
L16	159476	((hole or gap or groove or space or trench or crack or open\$3) with (fill\$3 or plug\$3 or block\$3 or insert\$3)) with (fix\$3 or repair\$3 or mend\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 13:32
L17	118844	l16 and (connect\$3 or hold\$3 or attach\$4 or clamp\$3 or fasten\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 13:33
L18	47508	l17 and (solder\$3 or weld\$3 or bond\$3 or join\$3 or (laser near2 weld\$3) or (electron near3 weld\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 13:34
L19	2677	l18 and ((hole or gap or groove or space or trench or crack or open\$3) with spacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 13:34
L20	182	l19 and ("228".clas. or "29".clas. or "219".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 13:35
L21	20	("4883216" "5197190" "5269057" "5444911" "5522134" "5554837" "5690469" "5732468" "5758416" "5813832").PN. OR ("6173491").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/02 13:42
L24	3443	(solder\$3 or bond\$3 or weld\$3 or join\$3) with (holder near5 surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:26
L25	328	l24 and ("228".clas. or "219".clas. or "29".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:48
L26	1844	crack near2 repair	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:48
L27	563	l26 and (plug or fill)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:48

L28	277	I27 and (holder or clamp or weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:49
L29	173	I28 and (remove or machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:49
L30	0	(crack adj repair) with spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:23
L31	1	(crack near2 repair) with spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:29
L32	28	(crack near2 repair) with spac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:30
L33	820	(gap or crack) with (weld\$3 or solder\$3 or braz\$3) same spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:31
L34	80	I33 and "228".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:38
L35	0	(crack adj repair) same solder\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:38
L36	15	(crack near2 repair) same solder\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:38